

Your Reliable Partner for **FLAGPOLES** & **FLAGS**

- ✓ Flagpoles
in all popular designs
- ✓ Custom flags
- ✓ Standard flags



Our flagpoles in front of the new build Rhein-Neckar-Arena in Hoffenheim

NEUMEYER
ABZEICHEN

Fly your flag!
+49(0) 9833 98894-0
Give us a call!



Versandhaus Neumeyer-Abzeichen . Höfelbeetstr. 20 . 91719 Heidenheim . Germany
Phone +49 (0) 9833 98894-0 . Fax +49 (0) 9833 1784 . info@neumeyer-abzeichen.de
Or visit our website: www.fahnenmasten-shop.de

OUR BESTSELLER

External Halyard Flagpoles



Vertical hoisted flag

starting at
117.— euros
VAT included



Banner flag

The Z75, Z90, and Z100 pole systems with cylindrical shaft and standard hoisting mechanism: perfect for hoisted or banner flags

Features:

- Attractive finial made of cast silumin with an integrated pulley.
- Perlon hoisting halyard, Ø 5 mm, thimble on both ends, stainless steel carabineer.
- Cast aluminum cleat, 160 mm.....
- The external halyard with pulley and cleat is the "standard hoisting mechanism": economical, robust and easy to operate.
- The high-quality alloy (Al-Mg-Si-F30) ensures lasting stability. The anodized layer in accordance with the EU-RAS DIN 17611 standard (min. 20 µ layer thickness) ensures a long-lasting, high-quality surface appearance.
- Modular system: Retrofitting with ZD rotating crossbar system is possible.

Flag Design

A special flag design is not necessary. All common, free-waving flag types from 1.50 m x 3.00 m to 1.50 m x 5.00 m, depending on the pole diameter and height, can be hoisted.

The upper flag carabineer is hooked into the thimble of the hoisting halyard and the lower carabineer hooked around the hoisting halyard.

Structural Stability According to DIN 1055-4

For models with tilt stabilizers: If unrestricted stability according to DIN is required, shaft base reinforcement is available for all nominal heights.

Minimum Stability: 9 Beaufort

The pole shafts of all product groups listed in this brochure have been statically tested for a wind load of at least 9 Beaufort (75 - 88 km/h). This stability certification covers all specified flag sizes. In case of higher wind speeds, the flags must be taken down.

With no flag, stability up to a wind speed of 130 km/h (125 km/h for NH 10.0 m) is guaranteed.

Further information and all current prices can be found on the Internet at:

S!

Internal Halyard Flags



The ZI75, ZI90, and ZII00 pole systems ensure best-possible theft prevention and ease of use

Our internal halyard system has proven its worth ten-thousand times over, and is the distinguishing characteristic of both hoisting systems:

ZI75/ZI90/ZII00: These models feature a 5 mm-diameter perlon hoisting halyard inside the pole shaft as well as an operating compartment with a lockable door and quick fixing system (SFS) for the halyard.

ZI75/ZI90K/ZII00K: These models feature a zinc-plated steel halyard that runs inside the pole shaft with the new FlagLift crank hoisting system.

Additional Features:

- Attractive finial made of cast silumin with an integrated pulley.
- Five flag clips running in the pole channel.
- The flag does not rise up due to gusting because of the flag's weight with a stainless steel carabineer on the lower carabineer hook.
- A special flag design is not necessary. See specifications for the Z75 - ZI00 system.
- The minimum stability standard is guaranteed to a wind strength of 9 Beaufort (88 km/h).

NEW! Combined Flag, Light and Camera Pole

Save costs and ease planning with a single flag pole that serves as a parking lot light and a flag advertisement. As a side effect the flag remains legible at night - at least as a recognizable object - and your advertising message can be seen from afar. A camera can also be added to the combination light/flag pole. This allows for video surveillance from the pole.

- The nominal heights of 6 and 7 m can be fitted with two top spotlights each; the nominal height 8 m can only be fitted with one spotlight due to static factors.
- Attractive flood lights with protection class IP 65 and a silver housing made from die-cast aluminum are offered. The lights come standard with a clear glass face, asymmetrical reflector and integrated ballast.

**starting at
257.— euros**
VAT included



www.fahnenmasten-shop.de Or give us a call.

High-Quality Flagpole with Crossbar

The **ZA75, ZA90, and ZA100** hoistable pole systems feature a cylindrical pole shaft with channel and rotatable telescoping crossbar

These features have the following advantages:

- Flagpoles with a telescoping crossbar ensure that your advertising message can be seen regardless of wind conditions. The flag is easy to read at all times.
- Ease of use is assured by our proven hoisting system or FlagLift, the new crank hoisting system.

*THE INEXPENSIVE
ALTERNATIVE!*

ZD75 / ZD90 / ZD100: cylindrical pole shaft, rotatable telescoping crossbar, cannot be hoisted

The most economical of the crossbar poles for cylindrical pole shafts is the ZD, in 75-mm, 90-mm or 100-mm diameters. Externally the ZD looks the ZA - only the hoisting system is missing. The pole shaft (without channel), finial, rotor armarmature and crossbar are identical in design, as well as the way in which the flag is attached with a hemstitch and carabineer using flag grommetsloops.

To fly a flag, the pole must be removed from the base mount and laid on the ground. Alternatively, the flag can be brought onto the pole from hoisting platform or scaffolding (if available). We strongly recommend a tilt stabilizer for use with the ZD90 and ZD100 models as this it makes it possible to lay the pole on the ground for flag changing without undue exertion or tools.

The sizes, dimensions and weights of the ZD series correspond to those of the ZA types, as does the attachment. Flag grommets loops and flag weight are also included with delivery.



starting at
173.- euros
VAT included

We'd be happy to assist you! +0049 (0) 9833 98 894-0

Our Products at a Glance

Find the perfect flagpole for your advertising purposes!

Finial Z 90 Z100 Cleat



Halyard operating compartment ZI90, ZI100

Crank hoisting system ZI90K



Finial with rotor, telescoping crossbar



Special models

Combination finial with floodlight



	Pole Model	Pole Type			Nominal Height in m								
		Cylindrical	Sectional	Conical tapered	5	6	7	8	9	10	11	12	
Standard Hoisting Systems													
	Z75	•			•	•	•						
	Z90	•				•	•	•					
	Z100	•						•	•	•			
	K			•			•	•	•	•	•	•	
	S - S2		•				•	•					
Internal Halyard Poles	ZI75	•			•	•	•						
	ZI75K	•			•	•	•						Crank hoisting system
	ZI90	•				•	•	•					
	ZI90K	•				•	•	•					Crank hoisting system
	ZI100	•						•	•	•			
	ZI100K	•						•	•	•			Crank hoisting system
	KI			•			•	•	•	•	•	•	
	KIT			•			•	•	•	•	•	•	
	KIK			•			•	•	•	•	•	•	Crank hoisting system
Crossbar Poles	ZD75	•			•	•	•						Cannot be hoisted
	ZA75	•			•	•	•						Hoistable
	ZA75K	•			•	•	•						Hoistable, crank operating system
	ZD90	•				•	•	•					Cannot be hoisted
	ZA90	•				•	•	•					Hoistable
	ZA90K	•				•	•	•					Hoistable, crank operating system
	ZAW90 · ZAK90	•				•	•	•					Rotating flagpole, hoistable
	ZD100	•					•	•	•	•			Cannot be hoisted
	ZA100	•					•	•	•	•			Hoistable
	ZA100K	•					•	•	•	•			Hoistable, crank operating system
	ZAW100 · ZAK100	•						•	•	•			Rotating flagpole, hoistable
	KA/W · KA/K			•				•	•	•	•	•	Rotating flagpole, hoistable
Special Models	KI-Stainless Steel			•				•		•			Internal halyard
	ZI-Stainless Steel	•				•	•	•	•				Internal halyard
	Z- Stainless Steel	•				•	•	•	•				Standard hoisting system
	GFK			•			•	•	•	•	•	•	Modular design, hoisting system selectable
	K-BY			•			•						Standard hoisting system
	Z-BY	•			•	•	•						Standard hoisting system
	TM Steel, TM-Aluminium			•	•	•	•						Transparent pole
	Mobile	•											2,50 - 5,50 m Car-mountable flagpole base
	KI-F			•									Commercial outrigger, horizontal crossbar for facades and roof mounting
	Z70F · ZI70F	•											
	ZI90W	•											
	Z70W-Stainless Steel	•											
	Z90-Roof	•											
	Custom designs	•	•	•									
Combination Poles	ZI100 Combination Pole	•				•	•	•					
	ZI100K Combination P.	•				•	•	•					Crank hoisting system
	ZD100 Combination P.	•				•	•	•					Cannot be hoisted
	ZA100 Combination P.	•				•	•	•					Hoistable
	ZA100K Combination P.	•				•	•	•					Hoistable, crank operating system

... or visit our website:

www.fahnenmasten-shop.de

Here you can find additional information as well as the current prices for all poles! Receive a rebate when ordering when multiple poles!

We look forward to hearing from you!
Neumeyer, your flagpole partner.

NEUMEYER
ABZEICHEN

Fly your flag!

Hoist a high-quality flag on your flagpole: country flags, flags with a agency logo or create your own custom design.

High-Quality Flags at Great Prices!

- We supply flags for your flagpole with your own design, crest or logo - quickly and reliably, in high quality and at great prices! Successfully present your municipality, agency, city, company, club or group.
- We manufacture flags with only the highest quality materials using the state-of-the-art silk screen techniques and digital printing to supply our customers with the best possible quality.
- We offer you a comprehensive product portfolio for successful indoor or outdoor advertising. We cater to orders for individual flags as well as volume orders in the thousands.
- All prices include the standard features, i.e. double safety stitching all around the flag in combination with one of the following options:
 - a) Border ribbon with cord + cord loop
 - b) Border ribbon + plastic carabineer
 - c) Border ribbon + metal eyelets
 - d) Hemstitch from border ribbon

Flag Sizes

The following maximum size recommendations apply:

Pole type	Nom.height	Flag height	-width
Z75, Z90, Z100	5m/6m/7m	3 m	1.2 m
Z90, Z100	7m/8m	4 m	1,5 m
Z100	9m/10m/11m/12m	5 m	1.5 m

Price example for flag size 3 m x 1.2 m

Gemeindefahnen 1 flag 120.-- euros
(VAT included) 10 or more. 70.-- euros

State flags available starting at 59.-- euros each

Please contact us for an individual quote!



Consulting & Service

Versandhaus Neumeyer-Abzeichen

Höfelbeetstraße 20 . D-91719 Heidenheim

Phone +49 (0)9833 98 894-0 .Fax 17 84

info@neumeyer-abzeichen.de

www.fahnenmasten-shop.de

Competent & Dependable

